

What is claimed is:

1. A durable press finish composition, which comprises: a crosslinker for giving fabrics wrinkle-free performance, which
5 consists of glyoxal dissolved in water at a concentration of 3-10% by weight; an agent for modifying the crosslinker, which is selected from ethylene glycol and diethylene glycol and contained at a molar ratio of 1:1 relative to the glyoxal; a catalyst
10 selected from aluminum sulfate and a mixture of magnesium chloride and citric acid, the aluminum sulfate being contained at a molar ratio of 0.01-0.08 relative to the glyoxal, and the mixture of magnesium chloride and citric acid being contained at a molar ratio of 0.1-0.6 relative to the glyoxal, the citric acid
15 being contained at a molar ratio of 0.1-0.5 relative to the magnesium chloride; and an additive selected from sodium tetraborate, sodium peroxoborate, sodium chlorite and sodium hydrogen sulfate wherein the sodium tetraborate or sodium
20 peroxoborate is contained at a weight ratio of 0.1-0.6% relative to the composition, the sodium chlorite is contained at a weight ratio of 0.01-0.06% relative to the composition, and the sodium hydrogen sulfate is contained at a weight ratio of 0.01-0.08% relative to the composition.